


## Hubei Wanli Protective Products Co., Ltd.

**Headquarter:**
Tel: 0086-728-3227299
Website: www.hbwanli.com
Email: info@hbwanli.com
Address: 106 Huangjin Ave., Xiantao, Hubei, China

**Business Office:**
Tel:0086-27-85513916
Headquarter: Rm 1903, International Commerce Center, Qingnian Rd 161, Wuhan, China

**Date of Publication: 2025/11/15**

www.hbwanli.com




XIAN WAN LI

# Hubei Wanli Protective Products Co., Ltd.

**Medical PPE Manufacturer**

# Product Catalog










# About Us

Hubei Wanli Protective Products Co., Ltd., founded in 2006, specializes in medical and industrial protection solutions along with non-woven materials. The company is headquartered in Xiantao, Hubei, housing its R&D center and three production bases, with an International Business Division located in Wuhan.

Its facilities include 50,000 m² of ISO Class 8 cleanrooms, two R&D labs, a sterilization center, and an intelligent logistics center. Employing 800 staff, including 20 R&D specialists, the company holds ISO 13485, ISO 9001, ISO 14001, ISO 11135, CE, Sedex, and GRS certifications, exporting to over 80 countries.

The product portfolio focuses on respiratory and body protection, such as N95/surgical masks, protective clothing, and surgical packs, complying with EN 14683, EN 149, ASTM F2100, and other international standards. The in-house CNAS-accredited laboratory ensures rigorous quality control and supports innovation for global market expansion.








**1997**

Hengkang Protective Products Co., Ltd. Was founded by Wellington Liu. The workshop produced medical gauze items.



**2009**

Owned the second plant, complied with ISO 13485, focused on producing Medical masks and coveralls for foreign clients.



**2021**

Fabric production lines expanded, including PP spunbond, meltblown, SMS, and breathable membrane lines, all operational by 2021.



**2022**

Hubei Wanli laboratory was built with testing capability for internal QC and key requirements for masks and garments.



**2023**

We have our own sterilization workshop and provide an efficient and safe full-process fire bacteria solution for the production process.

**2006**



Company name changed to Hubei Wanli Protective Products Co., Ltd, Owned the first plant, focused on manufacturing of non-woven items.

**2020**



Owned the third plant, focused on producing FFP1/2/3 masks and Medical coveralls.

**2021**



New headquarters completed with $30 million investment.

**2023**



Plastic resin mixer and extruder are set. We became one of the very few suppliers with complete vertical integration in PPE industry.

**2024**



Our laboratory obtained CNAS accreditation in 2024.

## Credentials


















## Partners

SGS · TÜVRheinland · SMETA Sedex · Alibaba.com · Made-in-China.com Connecting Buyers with Chinese Suppliers · Medical Device Establishment License Canada · UK CA · Nelson Labs. A Sotera Health company · CNAS · BSCI Business Social Compliance Initiative



## Index


| | |
|---|---|
| Surgical Pack | 03 |
| Gown & Apparel | 06 |
| Medical Face Mask & Shield | 20 |
| Disposable Cap | 25 |
| Disposable Gloves | 26 |
| Disposable Shoe Covers | 27 |
| Disposable Sheets & Bibs | 29 |
| Medical Consumables | 31 |
| Wound Care Products | 33 |









## WLSP01 【Universal Pack】

| Description | Dimension | Qty |
|---|---|---|
| Head Drape | 150*240cm | 1 pc |
| Foot Drape | 150*180cm | 1 pc |
| Side Drape | 75*90cm | 2 pcs |
| Mayo Stand Cover | 80*145cm | 1 pc |
| Reinforced Surgical Gown | XL | 2 pcs |
| Op-tape | 10*50cm | 1 pc |
| Hand Towel | 30*40cm | 4 pcs |
| Instrument Table Cover | 150*200cm | 1 pc |





## WLSP03 【Delivery Pack】

| Description | Dimension | Qty |
|---|---|---|
| Under Buttocks Drape | 86*110cm | 1 pc |
| Baby Wrapper | 75*90cm | 1 pc |
| Legging | 75*120cm | 2 pcs |
| Standard Surgical Gown | L | 2 pcs |
| Hand Towel | 30*40cm | 4 pcs |
| Clamp ST | / | 1 pc |
| Gauze Swab 8ply | 8*8cm | 10 pcs |
| Instrument Table Cover | 150*200cm | 1 pc |





## WLSP06 【Gynecology Pack】

| Description | Dimension | Qty |
|---|---|---|
| Gynecology Drape | 180*240cm / 260*240cm | 1 pc |
| Side Drape | 75*90cm | 2 pcs |
| Mayo Stand Cover | 80*145cm | 1 pc |
| Standard Surgical Gown | L | 1 pc |
| Hand Towel | 30*40cm | 2 pcs |
| Gauze Swab 8ply | 10*10cm | 10 pcs |
| Instrument Table Cover | 150*200cm | 1 pc |




## WLSP02 【Ophthalmology Pack】

| Description | Dimension | Qty |
|---|---|---|
| Mayo Stand Cover | 80*145cm | 1 pc |
| Ophthalmology Drape | 140*150cm | 1 pc |
| Standard Surgical Gown | L | 2 pcs |
| Hand Towel | 30*40cm | 4 pcs |
| Instrument Table Cover | 100*150cm | 1 pc |





## WLSP04 【TUR Pack】

| Description | Dimension | Qty |
|---|---|---|
| TUR Drape | 240*180cm / 170*180cm | 1 pc |
| Reinforced Surgical Gown | XL | 2 pcs |
| Hand Towel | 30*40cm | 4 pcs |
| Op-tape | 10*50cm | 2 pcs |
| Instrument Table Cover | 150*200cm | 1 pc |





## WLSP05 【Cardiovascular Pack】

| Description | Dimension | Qty |
|---|---|---|
| Cardiovascular Drape With Four Holes | 240*350cm | 1 pc |
| Tube Cover | 75*90cm | 1 pc |
| Reinforced Surgical Gown | XL | 2 pcs |
| Hand Towel | 30*40cm | 4 pcs |
| Gauze Swab 8ply | 10*10cm | 10 pcs |
| Instrument Table Cover | 150*200cm | 1 pc |




## WLSP07 【Welcome Pack】

| Description | Dimension | Qty |
|---|---|---|
| Bed Cover (elastic edges) | 160*240cm | 1 pc |
| Quilt Cover | 160*200cm | 1 pc |
| Pillow Cover | 50*70cm | 1 pc |
| Patient Gown Short Sleeve | L | 1 pc |
| Soft Bar Cap | / | 1 pc |
| Slippers | / | 1 pair |



# Surgical Gown

We are EXPERTS in surgical gowns and isolation gowns manufacturing. After years of testing and innovation at our own lab, we are proud to present a spectrum of our gowns that passed all levels of American and European standards for surgical gowns and isolation gowns.

## ANSI/AAMI PB70: 2012

Liquid barrier performance and classification of protective apparel and drapes intended for use in health care facilities.

| Level | Test | Requirement | Anticipated Risk of Exposure to Body Fluid |
|---|---|---|---|
| 1 | Water resistance: Impact penetration test AATCC 42 | ≤ 4.5g | Minimal Level |
| 2 | Water resistance: Impact penetration test AATCC 42Water resistance: Hydrostatic pressure test AATCC 127 | ≤ 1.0g<br>≥ 20cm | Low Level |
| 3 | Water resistance: Impact penetration test AATCC 42Water resistance: Hydrostatic pressure test AATCC 127 | ≤ 1.0g<br>≥ 50cm | Moderate Level |
| 4 | Standard test method for resistance of materials used in protective clothing to penetration by blood-borne pathogens using PhiX174bacteriophage penetration as a test system ASTM F1671 | Pass | High Level |

## EN 13795

Surgical gowns are standard equipment in hospitals. The introduction of the EN 13795 standard applies common quality standards to surgical gowns and clean-air clothing used as medical devices. The main purpose of this standard is the prevention of cross infection between patients and hospital staff during invasive surgery.

The standard EN 13795 defines two categories: high performance and standard performance equipment. Corresponding to the intensity and duration of the surgery, different performance requirements are necessary.

| Characteristic | Test Method | Unit | Requirement | | | |
|---|---|---|---|---|---|---|
| | | | Standard Performance | | High Performance | |
| | | | Critical Product Area | Less Critical Product Area | Critical Product Area | Less Critical Product Area |
| Microbial Penetraton -Dry | EN ISO 22612 | CFU | Not Required | ≤ 300 | Not Required | ≤ 300 |
| Microbial Penetraton - Wet | EN ISO 22610 | /B | ≥ 2.8 | Not Required | 6.0 | Not Required |
| Cleanliness MicrobialBioburden | EN ISO 11737-1 | CFU/100 cm² | ≤ 300 | ≤ 300 | ≤ 300 | ≤ 300 |
| Particile Release | EN ISO 9073-10 | log1o(lint count) | ≤ 4.0 | ≤ 4.0 | ≤ 4.0 | ≤ 4.0 |
| Liquid Penetration | EN ISO 811 | cm $H_20$ | ≥ 20 | ≥ 10 | ≥ 100 | ≤ 10 |
| Bursting Strength-Dty | EN ISO 13938-1 | kPa | ≥ 40 | ≥ 40 | ≥ 40 | ≥ 40 |
| Bursting Strength-Wet | EN ISO 13938-1 | kPa | ≥ 40 | Not Required | ≥ 40 | Not Required |
| Tensile Strength -Dry | EN 29073-3 | N | ≥ 20 | ≥ 20 | 220 | 220 |
| Tensile Strength -Wet | EN 29073-3 | N | ≥ 20 | Not Required | ≥ 220 | Not Required |
| **Anticipated Risk of Exposure to Body Fluid** | | | | Low Level | High Level | |





## 【Level 4 Procedure Gown】

WLG1000

AAMI Level 4 surgical gowns are intended to be used in procedures with a high risk of exposure.

**Main Features:**


Breathable Composite Fabric
Four Waistbands for Better Fit
Knitted Cuffs for Comfort

**Performance:**

Fluid Repellent
Against Blood-born Infectious Agent
Excellent Tensile Strength
Low-linting
Latex Free
Sterile or Non-sterile

**Standard:**

AAMI Level 4 Surgical Gown
EN 13795 High Performance



Critical zones that must pass

- **Front Chest**
- **Sleeve Seam**
- **Sleeve**
- **Front Belt* Attachment Point**

*The front belt attachment must pass if it is in the front chest critical zone.

AAMI standards require a surgical gown to pass ASTM International F1671 in the critical zones in order to be labeled an AAMI level 4 surgical gown.

There are typically four different areas that must pass within the critical zones, including two in the front chest and two on the sleeves. If a product passes ASTM International F1671 in all applicable areas, then it qualifes as an AAMI level 4 surgical gown.

## 【Chemotherapy Gown】

WLG1005-L3

Full Coverage Chemotherapy Gowns provide comparable fluid protection to an AAMI Level 3 gown while also providing a barrier against hazardous chemotherapy drugs.

Poly-coated material
Full back style gowns that close and tie in the back
Taped seams provide added fluid protection
Knitted cuffs
Color:

| REF | Style | Color | Size |
|---|---|---|---|
| WLG1005-L3KCB | Knitted Cuff | Blue | S-3XL |

**Standard:**

AAMI Level 3 Isolation gown
ASTM F739-12



## 【Level 3 Reinforced Surgical Gown】

WLG1001-Hi

AAMI Level 3 surgical gowns are intended to be used in procedures with a moderate risk of exposure.

**Main Features:**

Soft Non Woven Fabric
Reinforcement on the Chest and Sleeves
Four Waistbands for Better Fit
Knitted Cuffs for Comfort

**Performance:**

Fluid Repellent
Against Blood-born Infectious Agent
Excellent Tensile Strength
Low-linting
Latex Free
Sterile or Non-sterile

**Standard:**

AAMI Level 3 Surgical Gown
EN 13795 High Performance



Critical zones that must pass

**Front Chest**

**Sleeve Seam**

**Sleeve**

**Front Belt* Attachment Point**

*The front belt attachment must pass if it is in the front chest critical zone.

AAMI standards call for a surgical gown to meet the requirements mentioned above for AATCC 42 and AATCC 127 in the critical zones in order to be labeled an AAMI Level 3 surgical gown.

There are typically four different areas that must pass within the critical zones, including two in the front chest and two on the sleeves. If a product passes AATCC 42 and AATCC 127 in all applicable areas, then it qualifies as an AAMI Level 3 surgical gown.

## 【Standard Surgical Gown】

WLG1002-L2 / WLG1002-St

**Features:**

Light Breathable Fabric
High Tensile Strength
High Hydrostatic Pressure
Low-linting
Seams: Ultrasonic welding
Knitted Cuffs
Non-sterile
Color:

| REF | WLG1002-L2 | WLG1002-St |
|---|---|---|
| Standard | AAMI PB70 Level 2 ASTM F2407 | EN 13795 Standard Performance |

| REF | Standard | Style | Color | Size |
|---|---|---|---|---|
| WLG1002-L2KCB | AAMI PB70 L2 | Knitted Cuff | Blue | S-3XL |
| WLG1002-StKCB | EN 13795 Standard | Knitted Cuff | Blue | S-3XL |

**Standard:**

AAMI Level 2 Isolation gown
ASTM F2407
EN 13795 Standard Performance







## 【Light Isolation Gown】

WLG1005-L1

Economic Impervious Fabric / Light Weight SMS
Fluid Repellent
Low-linting
Latex Free
Acceptable Tearing Resistance
Elastic Cuffs / Knitted Cuffs
Non-sterile

| REF | Cuff | Color | Size |
|---|---|---|---|
| WLG1005-L1W | Elastic Cuff | White | S-3XL |

**Standard:**

AAMI Level 1 Isolation Gown



## 【Standard Isolation Gown】

WLG1005-L2

High Performance SMS or Medium Weight PP+PE
Fluid Repellent
Low-linting
Latex Free
Ideal Tearing Resistance
Knitted Cuffs / Elastic Cuffs
Non-sterile

**Seams:** Taped Seam or Ultrasonic Welding

| REF | Cuff | Color | Size |
|---|---|---|---|
| WLG1005-L2KCB | Knitted Cuff | Blue | S-3XL |

**Standard:**

AAMI Level 2 Isolation Gown



## 【Disposable Patient Gown】

WLG02

Non Woven Comfort Fabric
Long or Short Sleeves
Low-linting
Latex Free
Non-sterile
One Size Fit All or Customized

| REF | Style | Color | Size |
|---|---|---|---|
| WLG02SB | Short Sleeve | Blue | S-3XL |
| WLG02LG | Long Sleeve | Green | S-3XL |



## 【Disposable Visitor Gown】

WLG01

Fabric: PP 20-40gsm
Seam Type: Stitched
Style: One piece openning at back, ties at waist
With ties/velcro at back neck
Knitted Cuffs / Elastic Cuffs
Color:

Below are very basic referential styles, for additional requirements, please let us know.

| REF | Weight | Style | Color | Size |
|---|---|---|---|---|
| WLG01B | 20-60gsm | Elastic Cuff | Blue | S-3XL |
| WLG01KC | 20-60gsm | Knitted Cuff | White | S-3XL |



*All gowns are available with different colors and weights per your request.





## 【Standard Convenience Gown】

WLG05

One-step molding technology, heat sealing sewing without stitches
Over the head style to save time
The tear - away seam in the back for easy removal
Thumb hook and elastic cuff to prevent sleeve sliding

Fabric: SMS/PP+PE 25gsm~45gsm
Size: 110x106cm, or customized
Color:

| REF | Fabric | Weight | Style | Color | Size |
|---|---|---|---|---|---|
| WLG05MB | SMS | 25-55gsm | Elastic Cuff | Blue | 110x106cm |
| WLG05MTHB | SMS | 25-55gsm | Thumb Hoop | Blue | 110x106cm |
| WLG05MTHY | SMS | 25-55gsm | Thumb Hoop | Yellow | 110x106cm |
| WLG05MY | SMS | 25-55gsm | Elastic Cuff | Yellow | 110x106cm |
| WLG05PECB | PP+PE Coated | 25-55gsm | Elastic Cuff | Blue | 110x106cm |
| WLG05PECTHB | PP+PE Coated | 25-55gsm | Thumb Hoop | Blue | 110x106cm |
| WLG05PECTHY | PP+PE Coated | 25-55gsm | Thumb Hoop | Yellow | 110x106cm |
| WLG05PECY | PP+PE Coated | 25-55gsm | Elastic Cuff | Yellow | 110x106cm |



## 【Reinforced Convenience Gown】

WLG06

One-step molding technology, heat sealing sewing without stitches
Over the head style to save time
The tear-away seam in the back for easy removal
Thumb hook and elastic cuff to prevent sleeve sliding
Chest and sleeves reinforced for an excellent barrier against fluids and pathogens.

Fabric: SMS/PP+PE 25gsm~45gsm
Size: 110x106cm, or customized
Color:

| REF | Fabric | Weight | Style | Color | Size |
|---|---|---|---|---|---|
| WLG06PECB | PP+PE Coated | 25-55gsm | Elastic Cuff | Blue | 110x106cm |
| WLG06PECY | PP+PE Coated | 25-55gsm | Elastic Cuff | Yellow | 110x106cm |
| WLG06PECTHB | PP+PE Coated | 25-55gsm | Thumb Hoop | Blue | 110x106cm |
| WLG06PECTHY | PP+PE Coated | 25-55gsm | Thumb Hoop | Yellow | 110x106cm |
| WLG06MB | SMS | 25-55gsm | Elastic Cuff | Blue | 110x106cm |
| WLG06MY | SMS | 25-55gsm | Elastic Cuff | Yellow | 110x106cm |
| WLG06MTHB | SMS | 25-55gsm | Thumb Hoop | Blue | 110x106cm |
| WLG06MTHY | SMS | 25-55gsm | Thumb Hoop | Yellow | 110x106cm |



## 【Convenience CPE Gown】

WLG07

One-step molding technology
Over the head style to save time
Thrmb loop or elasticated cuff

Fabric: CPE 40g, 45g, 50g per piece, or customized
Color: 🔵⚪



| REF | Weight | Color | Size |
|---|---|---|---|
| WLG07THB | 40-55gsm | Yellow | 110x106cm |
| WLG07THY | 40-55gsm | Blue | 110x106cm |

## 【Scrub Suit】

WLG04

Provide protection to prevent transmission of infective agent.
Soft multi-ply SMS fabric
Fluid resistant.
Low-linting
Round or V-neck
Pockets available
Drawstring waist
Shirts and pants are packed separately or in sets.



| REF | Material | Weight | Color | Size |
|---|---|---|---|---|
| WLG04MVB | SMS | 30-40gsm | Blue | SX-3XL |
| WLG04MVP | SMS | 30-40gsm | Purple | SX-3XL |
| WLG04MVR | SMS | 30-40gsm | Pink | SX-3XL |

*All gowns are available with different colors and weights per your request.





## 【Type PB-4B Chemical Isolation Gown】

WLG3001

Ideal for handling cytostatics and various laboratory activities. An effective barrier against many low-concentration, water-based inorganic chemicals (even under pressure), small-sized hazardous particles as well as oil repellent.

Knitted cuff for better comfort. Openness in the back closure for increased ergonomics of the wearer - the hazard and uncomfortable feeling of slipping is avoided while sitting in front of the bench.

Fabric: Microporous film laminate
Seam Type: Stitched & taped seams
Style: One piece opening at back, ties at waist and back neck, knitted cuffs

**Standard:**

**EN 14605:2005+A1:2009 Type PB 4B**
Protective performance against spray and infective agents

**EN 14126:2003+AC:2004**
Performance requirements and tests methods for protective clothing against infective agents

**EN 14325:2004**
Protective clothing against chemicals - Test methods and performance classification of chemical protective clothing materials,seams, joins and assemblages

**EN ISO 13688:2013** Protective clothing - General requirements





ISO 36888:2013 Cat III
Type PB 4B
EN 14605/05+A1/09



EN 14126:2003

| REF | Color | Size |
|---|---|---|
| WLG3001 | White | S-3XL |

## 【Type PB-6B Chemical Isolation Gown】

WLG6B

The Type 6B PPE isolation gown is a protective garment designed to offer healthcare workers protection against liquid checmial,light spray and infective agents.

This gown is made of a lightweight fabric that is waterproof and resists penetration from harmful substances. It offers full frontal protection from the neck down to the knees, and the elastic wrist cuffs provide a secure fit that prevents any exposure.

Fabric: PP with PE coating
Seam Type: Stitched
Style: One piece openning at the back, ties at waist and back neck,elastic or knitted cuff.

**Standard:**

**EN 13034:2005+A1:2009**
Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals

**EN 14126:2003+AC:2004**
Performance requirements and tests methods for protective clothing against infective agents

**EN 14325:2004**
Protective clothing against chemicals - Test methods and performance classification of chemical protective clothing materials,seams, joins and assemblages

**EN ISO 13688:2013** Protective clothing - General requirements

| REF | Style | Color | Size |
|---|---|---|---|
| WLG6BW | Elastic Cuff | White | S-3XL |
| WLG6BY | Elastic Cuff | Yellow | S-3XL |
| WLG6BKC | Knitted Cuff | Blue | S-3XL |
| WLG6BWKC | Knitted Cuff | White | S-3XL |
| WLG6BYKC | Knitted Cuff | Yellow | S-3XL |





EN 13034/05+A1/09
Type PB(6)B



EN 14126:2003





## 【Type PB-3B/4B Chemical Protective Gown】

WLG1015

Protection against numerous concentrated inorganic chemicals and biohazards. Protective seams, stitched and over-taped with barrier-tape, providing barrier performance equal to that of the fabric.

Fabric: Multi-layer laminated fabric
Seam Type: Stitched & taped seams
Style: One piece opening at back with ties, with tear tape closure on the neck, bottom sleeve with knitted cuffs (inner layer) and elastic cuffs (outer layer)

**Standard:**

**EN 14605:2005+A1:2009 Type PB-3B/4B**
Protective performance against spray and infective agents

**EN 13034:2005 +A1:2009**
Protective clothing against liquid chemicals

**EN 14126:2003+AC:2004**
Performance requirements and tests methods for protective clothing against infective agents

**EN 1149-5:2018**
Protective clothing – Electrostatic properties

**EN 14325:2004**
Protective clothing against chemicals - Test methods and perfor mance classification of chemical protective clothing materials, seams, joins and assemblages

**EN ISO 13688:2013** Protective clothing - General requirements

| REF | Style | Color |
|---|---|---|
| WLG1015E | Single Cuff | Yellow |
| WLG1015DE | Double Cuff | Yellow |





EN 13034/05+A1/09
Type (6)B
EN 14605/05+A1/09
Type(3)B/(4)B



EN 1149-5:2018



EN 14126:2003

## 【Type 3B Chemical Isolation Gown】

WLG3004

Protection against numerous concentrated inorganic chemicals and bio-hazards. Protective seams, stitched and over-taped with barri-er-tape, providing barrier performance equal to that of the fabric.

Knitted cuff for better comfort. Openness in the back closure for increased ergonomics of the wearer - the hazard and uncomfortable feeling of slipping is avoided while sitting in front of the bench.

Fabric: Multi-layer laminated fabric
Seam Type: Stitched & taped seams
Style: One piece opening at back, ties at waist and back neck, knitted cuffs

**Standard:**

**EN 14605:2005+A1:2009 Type PB-3B**
Protective performance against spray and infective agents

**EN 14126:2003+AC:2004**
Performance requirements and tests methods for protective clothing against infective agents

**EN 14325:2004**
Protective clothing against chemicals - Test methods and perfor-mance classification of chemical protective clothing materials,seams, joins and assemblages

**EN ISO 13688:2013** General requirements





Type PB(3)B
EN 14605/05+A1/09



EN 14126/03+AC/04

| REF | Color | Size |
|---|---|---|
| WLG3004 | Yellow | S-3XL |

## 【Type 4B /5B / 6B Chemical Spray Tight Coverall】


WLO3001

This is an extremely excellent lightweight and flexible Type 4B & 5B & 6B entry-level chemical protective coverall. Stitched and taped seams provide full seal, no seam holes to allow penetration of dusts and liquids.

-Fabric: Microporous film laminate
-Seam Type: Stitched & taped seams
-Style: Elasticated hood/waist/wrists/ankles, 2-way zipper with adhesive taped flap, thumb loops

### Protection Level

EN 14605: 2005+A1: 2009-Type 4: Protective clothing against liquid chemicals
EN 13982-1: 2004+A1: 2010-Type 5: Protection against hazardous dry particles
EN 13034: 2005+A1: 2009-Type 6: Protection against light spray of liquids
EN 14126: 2003+AC: 2004-Protection against biological hazards and infective agents
EN 1073-2: 2002-Protection against radioactive contamination
EN 1149-5: 2018-Electrostatic Charges





| REF | Style | Color | Size |
|---|---|---|---|
| WLO3001 | Elastic Cuff | Tape in Blue | S-4XL |
| WLO3001GT | Elastic Cuff | Tape in Gray | S-4XL |
| WLO3001OT | Elastic Cuff | Tape in Orange | S-4XL |
| WLO3001RT | Elastic Cuff | Tape in Red | S-4XL |
| WLO3001Gn | Elastic Cuff | Whole Green | S-4XL |
| WLO3001KC | Knitted Cuff | Tape in Blue | S-4XL |



Type 4
EN 14605/05+A1/09
Type 5
EN ISO 13982-1/04+A1/10
Type 6
EN 13034/05+A1/09



EN 1073-2:2002



EN 14126:2003



EN 1149-5:2018

## 【Disposable Colonoscopy Shorts】

WLSP

Provides a barrier during the procedure
Ensures patient privacy
A rear slit or flap with taps to help with patient positioning

Made of non woven fabric
With elastic waist
No pockets





| REF | Material | Weight | Color | Style | Size |
|---|---|---|---|---|---|
| WLSPEVB40L | PP | 40gsm | Dark Blue | Flap | L |
| WLSPEVG40XL | PP | 40gsm | Dark Green | Flap | XL |
| WLSPESB40L | PP | 40gsm | Dark Blue | Slit | L |
| WLSPESG40XL | PP | 40gsm | Dark Green | Slit | XL |

## 【Disposable Non-woven Pants】

WLLP

Universal fittings, prevents clothing from contact with dust and liquid. Most protective and economic, stops migration of skin cell and virtually lint free. Soft light weight, comfortable and provides opacity.

Products are made from PP / SMS non-woven fabric. PP is the best for economic solution to stopping migration of visible particle. SMS is featured with excellent water repellency and air permeability resulting in providing comfort & dryness as well as anti-bacterial and anti fungal resistance.



| REF | Style |
|---|---|
| WLLPE | Elastic Waist |
| WLLPT | Tied Waist |







## 【Medical Mask】

WLM2002

Medical mask is designed to help provide respiratory protection for the wearer. These pleat-style masks have a filter efficiency level of 98% or greater against particulate aerosols, preventing the exhalation of airborne viruses and the spread of respiratory droplets from an asymptomatic carrier.

Material: PP+Meltblown+PP, 25+25+25gsm by request
Style: 3-Ply, Ear-loop
Size: 17.5*9.5cm,
Color:
Package: 50 pcs/box, 2000 pcs/ctn



**Standard:**
EN 14683 Type I, Type II, Type II R
ASTM F2100 Level 1 / 2 / 3

| REF | Features | Color | Size |
|---|---|---|---|
| WLM2002B | EN 14683 Type IIR | Blue | 17.5*9.5cm |
| WLM2002IIB50 | EN 14683 Type II | Blue | 17.5*9.5cm |
| WLM2002IB50 | EN 14683 Type I | Blue | 17.5*9.5cm |
| WLM2002L1B | ASTM Level 1 | Blue | 17.5*9.5cm |
| WLM2002L2B | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002L3B | ASTM Level 3 | Blue | 17.5*9.5cm |

## 【ZooAir® Super Breathable Medical Mask】

WLM2002HB

With ZooAir® filter media, the mask outperforms the market with ultra-low breathing resistance. It is EN 14683 Type II rated and keeps Differential Pressure below 15 Pa/cm², which means 2.5 times more breathable than the standard.

Material: PP+Meltblown+PP, 20+20+20gsm
Style: 3-Ply, Ear-loop
Size: 17.5*9.5cm,
Color:
Package: 20 pcs/box, 2000 pcs/ctn




**Standard:**
EN 14683 Type II

| REF | Color | Size |
|---|---|---|
| WLM2002HBIB20SP | Icy Blue | 17.5*9.5cm |
| WLM2002HBP20SP | Pink | 17.5*9.5cm |
| WLM2002HB20SP | White | 17.5*9.5cm |





## 【Surgical Mask】

WLM2002T



Tied masks are featured with the best fit, especially for long-lasting surgical operations

Material: PP+Meltblown+PP, 25+25+25gsm by request
Style: 3-Ply, Tie-on
Size: 17.5*9.5cm,
Color:
Package: 50 pcs/box, 2000 pcs/ctn

**Standard:**
EN 14683 Type II R
ASTM F2100 Level 2 / 3

| REF | Features | Color | Size |
|---|---|---|---|
| WLM2002TB | Type IIR | Blue | 17.5*9.5cm |
| WLM2002TL2B | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002TL3B | ASTM Level 3 | Blue | 17.5*9.5cm |

## 【Surgical Mask with Anti-fog Foam】

WLM2002A / WLM2002TA



Anti-fog foam and tapes reduce distractions from fogging issues.

Material: PP+Meltblown+PP, 25+25+25gsm by request
Style: 3-Ply, Ear-loop or Tie-on
Size: 17.5*9.5cm,
Color:
Package: 50 pcs/box, 2000 pcs/ctn

**Standard:**
EN 14683 Type II R
ASTM F2100 Level 2 / 3

| REF | Style | Standard | Color | Size |
|---|---|---|---|---|
| WLM2002AL2B | Ear Loop | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002AL3B | Ear Loop | ASTM Level 3 | Blue | 17.5*9.5cm |
| WLM2002TAL2B | Tie-on | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002TAL3B | Tie-on | ASTM Level 3 | Blue | 17.5*9.5cm |

## 【Surgical Mask with Anti-fog Visor】

WLM2002AV / WLM2002TAV

Anti-fog film, foam and tapes reduce distractions from fogging issues. Transparent and anti-scratching visor keeps eyes clear of blood and splash.

Material: PP+Meltblown+PP, 25+25+25gsm by request
Style: 3-Ply, Ear-loop or Tie-on with Visor
Size: 17.5*9.5cm,
Color:
Package: 50 pcs/box, 2000 pcs/ctn

**Standard:**
EN 14683 Type II R
ASTM F2100 Level 2 / 3

| REF | Style | Standard | Color | Size |
|---|---|---|---|---|
| WLM2002AVL2B | Ear Loop | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002AVL3B | Ear Loop | ASTM Level 3 | Blue | 17.5*9.5cm |
| WLM2002TAVL2B | Tie-on | ASTM Level 2 | Blue | 17.5*9.5cm |
| WLM2002TAVL3B | Tie-on | ASTM Level 3 | Blue | 17.5*9.5cm |





## 【Kids' Mask】

WLM4002

Material: PET+Meltblown+PP, 25+25+20gsm by request
Style: 3-Ply, ear-loop
Size: 14.5*9.5cm
Color:
Package: 50 pcs / box, 2000 pcs /ctn
EN 14683 Type I, Type II, Type IIR
ASTM F2100 Level 1, Level 2, Level 3

| REF | Color | Size |
|---|---|---|
| WLM4002 | Blue | 14.5*9.5cm |
| WLM4002BL | Black | 14.5*9.5cm |
| WLM4002P | Pink | 14.5*9.5cm |
| WLM4002W | White | 14.5*9.5cm |
| WLM4002PR | Printed | 14.5*9.5cm |







## 【Medical Face Shield】


WLEFSM

Perfect for high density situations, including if you work in events or hospitality, or if you travel by public transportation. The Medical Face Shield creates a barrier between you and other people with a plastic visor fitted to a comfortable foam head-band.

**Feature:**
Durable and long lasting visor made from fully transparent, lightweight plastic
Comfortable and easy-to-wear for an extended period of time
Reusable, recyclable

**Standard:**
CE MDR Regulation Mark
UKCA
ISO 16321-1:2022





## 【Bouffant Cap】
**WLC1001**

Material: 10-30gsm PP, SMS
Style: Elasticated
Size: 19", 21", 24"
Color: ○ 🔵 🔵 🟢 🟡 🟠 🔴 🩷
Package: 100pcs / bag, 2000pcs / ctn



## 【Mob Cap】
**WLC1002**

Material: 10-15gsm PP
Style: Single or double elasticated
Size: 19", 21", 24"
Color: ○ 🔵 🔵 🟢 🟡 🟠 🔴 🩷
Package: 100pcs / bag, 2000pcs / ctn



## 【Surgical Cap】
**WLC1003**

Material: PP, SMS
Style: With string ties or elastic at the back
Size: 64*12cm
Color: ○ 🔵 🟢
Package: 100pcs / bag, 1000pcs / ctn



## 【Spunlace Surgical Cap with Printing】
**WLC2004**

Material: Spunlace 25-45gsm
Style: Elastic or tie back
Size: Standard or customized
Color: ○ 🔵 🟢 🟣
Package: 100pcs / bag, 2000pcs / ctn



## 【Spunlace Surgical Cap with Absorbent Pad】
**WLC2005**

Material: Spunlace 25-45gsm
Absorbent pad fabric 25-30gsm
Style: Elastic or tie back
Size: Standard or customized
Color: ○ 🔵 🟢 🟣
Package: 100pcs / bag, 2000pcs / ctn



## 【Spunlace Surgical Cap】
**WLC2006**

Material: Spunlace 25-45gsm
Absorbent pad fabric 25-30gsm
Style: With string ties or elasticated at the back
Size: Standard or customized
Package: 100pcs / bag, 1000pcs / ctn







## 【Latex Gloves】
**WL8001**

Weight: 3.5g-6.0g
Size: XS, S, M, L, XL
Color: white



## 【Nitrile Gloves】
**WL8002**

Weight: 3.5g-6.0g
Size: XS, S, M, L, XL
Color: white / blue / black / pink / purple



## 【PVC Gloves】
**WL8003**

Weight: 3.5g-6.0g
Size: XS, S, M, L, XL
Color: white / blue / black



## 【PE/CPE Gloves】
**WL8004**

LDPE / HDPE
Weight: 0.6g-1.5g
Color: transparent



## 【TPE Gloves】
**WL8005**

Weight: 1.5g-2.2g
Size: S, M, L, XL
Color: Clear / Blue



## 【Non Woven Gloves】
**WL8007**

Weight: 30-45gsm
Size: 15x23cm, or customized
Color: White / Blue / Green / Printed

## 【Non-woven Shoe Cover】

WLS7001

Material: PP / SMS / Microporous 20-62gsm
Size: 38x15cm, 40x17cm, 42x18cm
Color: ◯🔵🟢🟠
Packing: 100 pcs / bag, 20 bags / ctn

Below are very basic models from many possible variances, let us know for your better choices.

| REF | Fabric | Weight | Color | Size |
|---|---|---|---|---|
| WLS7001MPBL | Microporous | 20-62gsm | Blue | 42*18cm |
| WLS7001PBM | PP | 20-62gsm | Blue | 38*15cm |
| WLS7001SMSL | SMS | 20-62gsm | White | 42*18cm |





## 【Plastic Shoe Cover】

WLS7003

Material: PE / CPE, 2g-6g / pc
Size: 38x15cm, 40x17cm, 42x18cm
Color: ◯🔵🟢🟠
Packing: 100 pcs / bag, 20 bags / ctn

Below are very basic models from many possible variances, let us know for your better choices.

| REF | Fabric | Weight | Color | Size |
|---|---|---|---|---|
| WLS7003PEB | PE | 2g-6g | Blue | 42*18cm |
| WLS7003CPEW | CPE | 2g-6g | White | 42*18cm |
| WLS7003CPEG | CPE | 2g-6g | Grey | 40*16cm |







## 【Non-woven Boot Cover】

WLS7006

Material: SMS / Microporous 45-65gsm
size: 48cm±2cm, sole length: 38cm±2cm
Color: ◯🔵
Packing: 100 pcs / bag, 5 bags/ctn, 2 bags/ctn

| REF | Fabric | Weight | Color | Size |
|---|---|---|---|---|
| WLS7006MB | SMS | 20-62gsm | Blue | 48cm |
| WLS7006MP | Microporous | 50-65gsm | White | 48cm |



## 【Non-woven Boot Cover with Sole】

WLS7007

Material: SMS / Microporous 45-65gsm
size: 48cm±2cm, sole length: 38cm±2cm
Color: ◯🔵
Packing: 100 pcs / bag, 2 bags/ctn

| REF | Weight | Color | Size |
|---|---|---|---|
| WLS7007 | 50-65gsm | White | 48cm |



## 【Microporous Boot Cover with Taped Seam】

WLS7008

Material: Microporous 50-65gsm
Size: 48cm±2cm, sole length: 38cm±2cm
Color: ◯🔵
Packing: 100 pcs / bag, 2 bags/ctn

| REF | Color | Size |
|---|---|---|
| WLS7008 | White | 48cm |



## 【PE Coated Boot Cover】

WLS7009

Material: PE Coated, PVC sole
Size: 48cm±2cm, sole length: 38cm±2cm
Color: ◯🔵
Packing: 100 pcs / bag, 5 bags/ctn, 2 bags/ctn

| REF | Color | Size |
|---|---|---|
| WLS7009 | Yellow | 48cm |



## 【Disposable Bed Sheet】

WLHBS01

Style: Flat sheet
Material: PP, PP+PE, SMS
Size: 60*100cm, 100*210cm, 120*220cm
Color:



## 【Bed Cover with Elastic Ending】

WLHBS02

Style: Elastic on ends
Material: PP, PP+PE, SMS
Size: 80*100cm, 75*200cm, 90*230cm
Color:



## 【Bed Cover Fitted on 4 Corners】

WLHBS03

Style: Fitted on 4 corners
Material: PP, PP+PE, SMS
Size: 80*190+20cm, 160*190+20cm
Color:



## 【Body Bags】

WLHBS05

Style: Body bags
Material: PVC, oxford, nonwoven, ployester or customizes
Color: Black or customizes
Size: customizes
Zipper: Straight Zipper， C shaped, #5, Double pullar or customizes







## 【Disposable Under Pad】

WLN4001

Soft cloth-like top-sheet that covers the entire surface to promote healthy skin and a leak-proof back-sheet protects surfaces from fluids


Leak-proof back-sheet protects surfaces from fluid
Fluff/polymer core
Light absorbency to heavy absorbency
Size: 60x60cm, 60x90cm, 75x90cm, 80x100cm
80x120cm, 100x150cm, or customized.



## 【Non Woven Bed Sheet】

WLN4002

SPP, SMS, PP+PE Material
30-100gsm
Color: white, blue, green, yellow
Sterile or Non Sterile
Non-toxic, non-skin irritation, nonallergic
Soft, breathable, comfortable
Size: 75x200cm, 80x100cm, 80x190cm, 90x230cm,
100x210cm, 120x220cm



## 【Dental Bib】

WLN4003

1ply paper + PE film / 2ply paper + PE film
28gsm-40gsm
Color: white, blue, green, pink, yellow, lavender, etc.
Horizontal embossed pattern
Reinforced water repellent edge
Fluid Resistant,soft,economic
Size: 33x45cm, 33x48cm, 37x48cm, 37x65cm, 50x50cm



## 【Thermo Mini Poncho】

WLP5010



Soft PP/SMS fabric
Great comfort and breathability
With Knitted turtleneck
Keep the chest, shoulder and neck area warm.
One size fits all.

## 【Slipper Socks】

WLP5020



Single or Double Tread
Long or Short
Latex Free
Size: XS, S, M, L, 2XL, 3XL
Used for hospitals, care homes, rehabilitation centres, and home care settings.

## 【Single Use Medical Cotton Socks】

WLP5021



Made of cotton
Elastic around the ankles
Single Used
White or customized color
Used for hospital, cleanroom and other possible places.

## 【Process Indicator Tape】

WLP5030



Indicator Tape for Ethylene Oxide sterilization processes.
Distinct Color Transition from Red/Orange to Green

Tape will adhere to all types of wraps
Latex and lead free
Can be written on
Beige color
50m x19mm





## 【Injection Syringe】

WLN4004



Material: PP, PP+PE
Disinfecting type: EO
Color: Transparent
Size: 1ml,2ml, 3ml, 5ml, 10ml,20ml, 30ml, 50ml
Type: Luer lock or luer slip
Packing: PE bag or blister bag
Feature: EO gas steriled

## 【Infusion Set】

WLN4005



Material:PP
Style: with or without needle
Needle specification: 14G-31G
Color: Transparent
Disinfecting Type: EO
Size: customizes
Packing: PE/BLISTER PACK, 100pcs/carton

## 【Mercury Clinical Thermometer】

WLN4006



Material: Plastic
Size: 120x21mm
Temperature range: 32+-42.9C
Logo: customizes
Packingh: Plastic tube+color box

【Gauze Swabs】
WLD6001



【Gauze Balls】
WLD6002



【Gauze Swabs with X-ray】
WLD6003



【Absorbent Gauze Bandages】
WLD6004



【Crepe Elastic Bandages】
WLD6005



【Lap Sponges】
WLD6006



【Self-adhesive Elastaic Bandage】
WLD6007



【Triangular Bandage Sling】
WLD6008







【Dental Suction Tubes】
WLD6009



【Emergency Blanket】
WLD6010



【Adhesive Medical Tape】
WLD6011



【Dressing Forceps】
WLD6012



【Woundplast】
WLD6013



【Surgical Scissors】
WLD6014



【Vacuum Blood collection Tube】
WLD6015



【First Aid Kit】
WLD6016

